

ROWAN

s t u d i o

Pine

by Grace Melville



YARN

S	M	L	XL	
81-86	91-97	102-107	112-117	cm
32-34	36-38	40-42	44-46	in
Rowan Felted Tweed Aran				
6	7	8	9	x 50gm

(photographed in Burnt 722)

NEEDLES

1 pair 4½mm (no 7) (US 7) needles
1 pair 5mm (no 6) (US 8) needles

TENSION

17 sts and 18 rows to 10 cm measured over patt using 5mm (US 8) needles.

Pattern note: When working patt, all slipped sts should be worked with yarn held at **WS** of work (this is back of work on RS rows, and front of work on WS rows).

BACK

Using 4½mm (US 7) needles cast on 78 [86: 98: 106] sts.

Row 1 (RS): K2, *P2, K2, rep from * to end.

Row 2: P2, *K2, P2, rep from * to end.

These 2 rows form rib.

Cont in rib for a further 14 rows, inc [inc: dec: inc] 1 st at end of last row and ending with RS facing for next row. 79 [87: 97: 107] sts.

Change to 5mm (US 8) needles.

Now work in patt as folls:

Row 1 (RS): *K1 winding yarn 3 times round needle, rep from * to end.

Row 2: K to end, dropping extra loops.

Row 3: As row 1.

Row 4: P to end, dropping extra loops.

Rows 5 and 6: K1, *sl 1, K1, rep from * to end.

Rows 7 and 8: Knit.

Rows 9 and 10: K2, *sl 1, K1, rep from * to last st, K1.

These 10 rows form patt.

Cont in patt until back meas 17 [18: 19: 20] cm, ending with RS facing for next row.

Shape armholes

Keeping patt correct, cast off 2 sts at beg of next 2 rows. 75 [83: 93: 103] sts.

Dec 1 st at each end of next and foll alt row. 71 [79: 89: 99] sts.

Cont straight until armhole meas 24 [25: 26: 27] cm, ending with RS facing for next row.

Shape shoulders and back neck

Next row (RS): Cast off 10 [12: 14: 16] sts, patt until there are 13 [15: 17: 20] sts on right needle and turn, leaving rem sts on a holder.

Work each side of neck separately.

Cast off 3 sts at beg of next row.

Cast off rem 10 [12: 14: 17] sts.

With RS facing, rejoin yarn to rem sts, cast off centre 25 [25: 27: 27] sts, patt to end.

Complete to match first side, reversing shapings.

FRONT

Work as given for back until 16 [16: 18: 18] rows less have been worked than on back to beg of shoulder shaping, ending with RS facing for next row.

Shape neck

Next row (RS): Patt 28 [32: 37: 42] sts and turn, leaving rem sts on a holder.

Work each side of neck separately.

Keeping patt correct, dec 1 st at neck edge of next 4 rows, then on foll 4 [4: 5: 5] alt rows. 20 [24: 28: 33] sts.

Work 3 rows, ending with RS facing for next row.

Shape shoulder

Cast off 10 [12: 14: 16] sts at beg of next row.

Work 1 row.

Cast off rem 10 [12: 14: 17] sts.

With RS facing, rejoin yarn to rem sts, cast off centre 15 sts, patt to end.

Complete to match first side, reversing shapings.

SLEEVES

Using 4½mm (US 7) needles cast on 46 [50: 54: 58] sts.

Work in rib as given for back for 10 rows, inc 1 st at centre of last row and ending with RS facing for next row. 47 [51: 55: 59] sts.

Change to 5mm (US 8) needles.

Now work in patt as given for back, inc 1 st at each end of next and foll 6 alt rows, then on foll 10 rows, taking inc sts into patt.

81 [85: 89: 93] sts.

Work 1 row, ending with RS facing for next row. (Sleeve should meas 17 cm.)

Shape top

Keeping patt correct, cast off 7 [7: 8: 8] sts at beg of next 4 rows, then 7 [8: 8: 9] sts at beg of foll 4 rows.

Cast off rem 25 sts.

MAKING UP

Press.

Join right shoulder seam using back stitch, or mattress stitch if preferred.

Neckband

With RS facing and using 4½mm (US 7) needles, pick up and knit 16 [16: 17: 17] sts down left side of neck, 15 sts from front, 16 [16: 17: 17] sts up right side of neck, then 31 [31: 33: 33] sts from back. 78 [78: 82: 82] sts.

Beg with row 2, work in rib as given for back for 5 rows, ending with RS facing for next row.

Cast off in rib.

Set in sleeves using the shallow set-in method.

